



- GUARD RAIL NOTES:
- DISTANCE X AND Y TO BE DETERMINED BY ENGINEER BASED ON SOILS AND LOADING CONDITIONS
 - INSTALL H-PILE OR WOOD POST AS PER MANUFACTURER'S RECOMMENDATIONS
 - POST MAY PIERCE UPPER LAYER OF GEOSYNTHETIC AS PER WALL DESIGN ENGINEER'S SPECIFICATION

GUARD RAIL DETAIL

TYPICAL GUARD RAIL

SCALE: NONE

THESE PRELIMINARY DETAILS ARE INTENDED AS AN AID IN DESIGNING ATTRACTIVE, DURABLE RETAINING WALLS WITH VERSA-LOK UNITS. FINAL DETERMINATION OF THE SUITABILITY OF ANY INFORMATION OR MATERIAL FOR THE USE CONTEMPLATED, AND ITS MANNER OF USE, IS THE SOLE RESPONSIBILITY OF THE USER. A FINAL PROJECT SPECIFIC DESIGN SHOULD BE PREPARED BY A QUALIFIED, LICENSED, PROFESSIONAL ENGINEER.



VERSA-LOK[®]
Retaining Wall Systems

(800)770-4525 fax(651)770-4089
6348 Hwy36 Ste1, Oakdale,MN 55128 **Solid Solutions[™]**

VERSA-LOK STANDARD DETAILS

GUARD RAIL DETAIL

SCALE: 3/4"=1'

DRAWN BY: PPS

CHECKED BY:

DATE: 10/2007

DWG. NO. strnd guard rail detail